

Zone 1: Nov. 2, Dec. 7, Jan. 21
Zone 2: Nov. 4, Dec. 9, Jan. 25
Zone 3: Nov. 9, Dec. 14, Jan. 26
Zone 4: Nov. 12, Dec. 16, Jan. 27
Zone 5: Nov. 16, Jan. 4, Jan. 28
Zone 6: Nov. 18, Jan. 6, Feb. 1
Zone 7: Nov. 23, Jan. 11, Feb. 2
Zone 8: Nov. 25, Jan. 13, Feb. 3
Zone 9: Nov. 30, Jan. 19, Feb. 4
Zone 10: Dec. 2, Jan. 20, Feb. 5

#### Makeup Days:

Nov. 3, Nov. 5, Nov. 6, Nov. 10, Nov. 13, Nov. 17, Nov. 19, Nov. 20, Nov. 24, Dec. 1, Dec. 3, Dec. 4, Dec. 8, Dec. 10, Dec. 11, Dec. 15, Dec. 17, Dec. 18, Dec. 21, Dec. 22, Dec. 23, Dec. 24, Dec. 28, Dec. 29, Dec. 30, Dec. 31, Jan. 5, Jan. 7, Jan. 8, Jan. 12, Jan. 14, Jan. 15, Jan. 22, Jan. 29

#### LEAF PICK - UP PROGRAM NOVEMBER 2, 2020 - FEBRUARY 5, 2021

The City of Turlock Parks, Recreation and Public Facilities
Department will begin the annual Leaf Pickup Program on
November 2, 2020. Turlock residents are encouraged to use
their green waste containers for leaves and garden refuse. Any
leaves that will not fit into the green container may be placed
in the street 18" from the curbside in loose piles, not bagged.
Limbs are not to be placed in leaf piles. Do not park vehicles
in front of your residence in locations which will prevent
access to leaf collection the day prior to your scheduled day,
on the scheduled day and the day after your scheduled day.
This will allow for more flexibility within the schedule.

# TAKE PRIDE IN TURLOCK FREE TRASH DISPOSAL DAY




SATURDAY, OCTOBER 17TH 8:00 AM - 12:45 PM 1100 S. WALNUT RD TURLOCK CA 95380

#### YOU MUST PROVIDE:

- 1. Your September 2020 City of Turlock Utility Bill (TID, PG&E and Phone Bills DO NOT qualify)
- 2. Your picture ID with a Turlock address

#### PLEASE NOTE:

- No more than one load of household debris per current utility bill
- No vehicle loads larger than a pick-up truck accepted
- · No more than 9 tires per load, with or without rim
- No sealed gas cylinders (propane, oxygen, etc.)
- No treated wood (ie: Railroad Ties, pressure treated wood, telephone poles, etc.)
- No tires from tire generating businesses will be accepted



For More Information contact the Municipal Services Department at 209-668-5590





## TOME ORGULLO EN TURLOCK

### Dia de Disposicion de Basura Gratis



EL SABADO, 17 DE OCTUBRE 8:00 AM - 12:45 PM 1100 S. WALNUT RD TURLOCK CA 95380

#### **USTED DEBE PROVEER:**


- Su cuenta de utilidades de la Ciudad de Turlock del mes de Septiembre, de 2020 (Las cuentas de TID, PG & E y cuentas del telefono NO califican)
- Su identificacion con fotografia con una direccion de Turlock.

#### Por favor de notar:

- No aceptaremos mas de una carga de basura por casa por cuenta de utilidad corriente
- No aceptaremos cargas mas grandes que una camioneta
- No aceptaremos mas de 9 llantas por carga
- No aceptaremos cilindros de gasolina sellados (propano, oxigeno, etc.)
- No aceptaremos madera tratada
   Ejemplo: lazos ferroviarios, madera tratada a presión, postes de teléfono, etc.
- No se aceptaran neumaticos de las negocios generadores de neumaticos

La Instalación de Desechos Domésticos Peligrosos del Condado de Stanislaus está ubicada en 1710 Morgan Road, Modesto y está abierto de 8 am a 12 pm para desechos peligrosos

> Para obtener mas informacion llame al: Departamento de Servicios Municipal (209) 668-5590





Este informe contiene información muy importante sobre su agua potable.

Por favor hable con alguien que lo pueda traducir.

Para obtener más información, llame al (209)668-5590.

#### City of Turlock Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received in August 2020 show our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter) equivalent to 0.000005 mg/L (milligrams per liter). The average level of 1,2,3-TCP for the period of September 2019 – August 2020 for three out of the eighteen drinking water wells was 0.02613 ug/L, ranging from 0.0059 ug/L to 0.185 ug/L.

#### What should I do?

- You do not need to use an alternative (e.g. bottled) water supply.
- This is not an immediate risk. If it had been, you would have been notified immediately. However, some
  people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may
  have an increased risk of getting cancer.
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

#### What happened? What was done?

On December 14, 2017 the State Water Resources Control Board's Division of Drinking Water established a MCL and monitoring frequencies for 1,2,3-TCP that went into effect January 2018. Due to the newly adopted MCL, the City of Turlock has three wells that have exceeded the allowable limits for the contaminant.

As a result, the City is required to increase monitoring frequencies for 1,2,3-TCP, develop a corrective action plan, and distribute a public notice to all drinking water customers every three months until the wells are no longer producing levels of 1,2,3-TCP above the MCL.

The City anticipates resolving the problem by June 30, 2021.

#### For more information, please contact:

Danae Lawrence, Staff Services Technician

Phone: (209) 668-5590


Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

#### Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- SCHOOLS: Must notify school employees, students, and parents (if the students are minors).
- RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS (including nursing homes and care facilities): Must notify tenants.
- BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS: Must notify employees of businesses located on the property.

This notice is being sent to you by the City of Turlock in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.




Zone 1: Nov. 2, Dec. 7, Jan. 21
Zone 2: Nov. 4, Dec. 9, Jan. 25
Zone 3: Nov. 9, Dec. 14, Jan. 26
Zone 4: Nov. 12, Dec. 16, Jan. 27
Zone 5: Nov. 16, Jan. 4, Jan. 28
Zone 6: Nov. 18, Jan. 6, Feb. 1
Zone 7: Nov. 23, Jan. 11, Feb. 2
Zone 8: Nov. 25, Jan. 13, Feb. 3
Zone 9: Nov. 30, Jan. 19, Feb. 4
Zone 10: Dec. 2, Jan. 20, Feb. 5

#### Makeup Days:

Nov. 3, Nov. 5, Nov. 6, Nov. 10, Nov. 13, Nov. 17, Nov. 19, Nov. 20, Nov. 24, Dec. 1, Dec. 3, Dec. 4, Dec. 8, Dec. 10, Dec. 11, Dec. 15, Dec. 17, Dec. 18, Dec. 21, Dec. 22, Dec. 23, Dec. 24, Dec. 28, Dec. 29, Dec. 30, Dec. 31, Jan. 5, Jan. 7, Jan. 8, Jan. 12, Jan. 14, Jan. 15, Jan. 22, Jan. 29

#### LEAF PICK - UP PROGRAM NOVEMBER 2, 2020 - FEBRUARY 5, 2021

The City of Turlock Parks, Recreation and Public Facilities
Department will begin the annual Leaf Pickup Program on
November 2, 2020. Turlock residents are encouraged to use
their green waste containers for leaves and garden refuse. Any
leaves that will not fit into the green container may be placed
in the street 18" from the curbside in loose piles, not bagged.
Limbs are not to be placed in leaf piles. Do not park vehicles
in front of your residence in locations which will prevent
access to leaf collection the day prior to your scheduled day,
on the scheduled day and the day after your scheduled day.
This will allow for more flexibility within the schedule.



Zone 1: Nov. 2, Dec. 7, Jan. 21
Zone 2: Nov. 4, Dec. 9, Jan. 25
Zone 3: Nov. 9, Dec. 14, Jan. 26
Zone 4: Nov. 12, Dec. 16, Jan. 27
Zone 5: Nov. 16, Jan. 4, Jan. 28
Zone 6: Nov. 18, Jan. 6, Feb. 1
Zone 7: Nov. 23, Jan. 11, Feb. 2
Zone 8: Nov. 25, Jan. 13, Feb. 3
Zone 9: Nov. 30, Jan. 19, Feb. 4
Zone 10: Dec. 2, Jan. 20, Feb. 5

#### Makeup Days:

Nov. 3, Nov. 5, Nov. 6, Nov. 10, Nov. 13, Nov. 17, Nov. 19, Nov. 20, Nov. 24, Dec. 1, Dec. 3, Dec. 4, Dec. 8, Dec. 10, Dec. 11, Dec. 15, Dec. 17, Dec. 18, Dec. 21, Dec. 22, Dec. 23, Dec. 24, Dec. 28, Dec. 29, Dec. 30, Dec. 31, Jan. 5, Jan. 7, Jan. 8, Jan. 12, Jan. 14, Jan. 15, Jan. 22, Jan. 29

#### LEAF PICK - UP PROGRAM NOVEMBER 2, 2020 - FEBRUARY 5, 2021

The City of Turlock Parks, Recreation and Public Facilities
Department will begin the annual Leaf Pickup Program on
November 2, 2020. Turlock residents are encouraged to use
their green waste containers for leaves and garden refuse. Any
leaves that will not fit into the green container may be placed
in the street 18" from the curbside in loose piles, not bagged.
Limbs are not to be placed in leaf piles. Do not park vehicles
in front of your residence in locations which will prevent
access to leaf collection the day prior to your scheduled day,
on the scheduled day and the day after your scheduled day.
This will allow for more flexibility within the schedule.

Este informe contiene información muy importante sobre su agua potable.

Por favor hable con alguien que lo pueda traducir.

Para obtener más información, llame al (209)668-5590.

#### City of Turlock Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received in August 2020 show our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter) equivalent to 0.000005 mg/L (milligrams per liter). The average level of 1,2,3-TCP for the period of September 2019 – August 2020 for three out of the eighteen drinking water wells was 0.02613 ug/L, ranging from 0.0059 ug/L to 0.185 ug/L.

#### What should I do?

- You do not need to use an alternative (e.g. bottled) water supply.
- This is not an immediate risk. If it had been, you would have been notified immediately. However, some
  people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may
  have an increased risk of getting cancer.
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

#### What happened? What was done?

On December 14, 2017 the State Water Resources Control Board's Division of Drinking Water established a MCL and monitoring frequencies for 1,2,3-TCP that went into effect January 2018. Due to the newly adopted MCL, the City of Turlock has three wells that have exceeded the allowable limits for the contaminant.

As a result, the City is required to increase monitoring frequencies for 1,2,3-TCP, develop a corrective action plan, and distribute a public notice to all drinking water customers every three months until the wells are no longer producing levels of 1,2,3-TCP above the MCL.

The City anticipates resolving the problem by June 30, 2021.

#### For more information, please contact:

Danae Lawrence, Staff Services Technician

Phone: (209) 668-5590

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

#### Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- SCHOOLS: Must notify school employees, students, and parents (if the students are minors).
- RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS (including nursing homes and care facilities): Must notify tenants.
- BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS: Must notify employees of businesses located on the property.

This notice is being sent to you by the City of Turlock in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.

Este informe contiene información muy importante sobre su agua potable.

Por favor hable con alguien que lo pueda traducir.

Para obtener más información, llame al (209)668-5590.

#### City of Turlock Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received in August 2020 show our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter) equivalent to 0.000005 mg/L (milligrams per liter). The average level of 1,2,3-TCP for the period of September 2019 – August 2020 for three out of the eighteen drinking water wells was 0.02613 ug/L, ranging from 0.0059 ug/L to 0.185 ug/L.

#### What should I do?

- You do not need to use an alternative (e.g. bottled) water supply.
- This is not an immediate risk. If it had been, you would have been notified immediately. However, some
  people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may
  have an increased risk of getting cancer.
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

#### What happened? What was done?

On December 14, 2017 the State Water Resources Control Board's Division of Drinking Water established a MCL and monitoring frequencies for 1,2,3-TCP that went into effect January 2018. Due to the newly adopted MCL, the City of Turlock has three wells that have exceeded the allowable limits for the contaminant.

As a result, the City is required to increase monitoring frequencies for 1,2,3-TCP, develop a corrective action plan, and distribute a public notice to all drinking water customers every three months until the wells are no longer producing levels of 1,2,3-TCP above the MCL.

The City anticipates resolving the problem by June 30, 2021.

#### For more information, please contact:

Danae Lawrence, Staff Services Technician

Phone: (209) 668-5590


Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

#### Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- SCHOOLS: Must notify school employees, students, and parents (if the students are minors).
- RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS (including nursing homes and care facilities): Must notify tenants.
- BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS: Must notify employees of businesses located on the property.

This notice is being sent to you by the City of Turlock in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.



Zone 1: Nov. 2, Dec. 7, Jan. 21
Zone 2: Nov. 4, Dec. 9, Jan. 25
Zone 3: Nov. 9, Dec. 14, Jan. 26
Zone 4: Nov. 12, Dec. 16, Jan. 27
Zone 5: Nov. 16, Jan. 4, Jan. 28
Zone 6: Nov. 18, Jan. 6, Feb. 1
Zone 7: Nov. 23, Jan. 11, Feb. 2
Zone 8: Nov. 25, Jan. 13, Feb. 3
Zone 9: Nov. 30, Jan. 19, Feb. 4
Zone 10: Dec. 2, Jan. 20, Feb. 5

#### Makeup Days:

Nov. 3, Nov. 5, Nov. 6, Nov. 10, Nov. 13, Nov. 17, Nov. 19, Nov. 20, Nov. 24, Dec. 1, Dec. 3, Dec. 4, Dec. 8, Dec. 10, Dec. 11, Dec. 15, Dec. 17, Dec. 18, Dec. 21, Dec. 22, Dec. 23, Dec. 24, Dec. 28, Dec. 29, Dec. 30, Dec. 31, Jan. 5, Jan. 7, Jan. 8, Jan. 12, Jan. 14, Jan. 15, Jan. 22, Jan. 29

#### LEAF PICK - UP PROGRAM NOVEMBER 2, 2020 - FEBRUARY 5, 2021

The City of Turlock Parks, Recreation and Public Facilities
Department will begin the annual Leaf Pickup Program on
November 2, 2020. Turlock residents are encouraged to use
their green waste containers for leaves and garden refuse. Any
leaves that will not fit into the green container may be placed
in the street 18" from the curbside in loose piles, not bagged.
Limbs are not to be placed in leaf piles. Do not park vehicles
in front of your residence in locations which will prevent
access to leaf collection the day prior to your scheduled day,
on the scheduled day and the day after your scheduled day.
This will allow for more flexibility within the schedule.

Este informe contiene información muy importante sobre su agua potable.

Por favor hable con alguien que lo pueda traducir.

Para obtener más información, llame al (209)668-5590.

#### City of Turlock Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received in August 2020 show our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter) equivalent to 0.000005 mg/L (milligrams per liter). The average level of 1,2,3-TCP for the period of September 2019 – August 2020 for three out of the eighteen drinking water wells was 0.02613 ug/L, ranging from 0.0059 ug/L to 0.185 ug/L.

#### What should I do?

- You do not need to use an alternative (e.g. bottled) water supply.
- This is not an immediate risk. If it had been, you would have been notified immediately. However, some
  people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may
  have an increased risk of getting cancer.
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

#### What happened? What was done?

On December 14, 2017 the State Water Resources Control Board's Division of Drinking Water established a MCL and monitoring frequencies for 1,2,3-TCP that went into effect January 2018. Due to the newly adopted MCL, the City of Turlock has three wells that have exceeded the allowable limits for the contaminant.

As a result, the City is required to increase monitoring frequencies for 1,2,3-TCP, develop a corrective action plan, and distribute a public notice to all drinking water customers every three months until the wells are no longer producing levels of 1,2,3-TCP above the MCL.

The City anticipates resolving the problem by June 30, 2021.

#### For more information, please contact:

Danae Lawrence, Staff Services Technician

Phone: (209) 668-5590

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

#### Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- SCHOOLS: Must notify school employees, students, and parents (if the students are minors).
- RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS (including nursing homes and care facilities): Must notify tenants.
- BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS: Must notify employees of businesses located on the property.

This notice is being sent to you by the City of Turlock in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.